acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

SECTION 1: Identification

1.1 Product identifier

Trade name

Detail King Fibre Pro

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Fabric cleaner and deodorizer Professional use Industrial use 3402.39.90

HS code

1.3 Details of the supplier of the safety data sheet

Detail King 947-A-Old Frankstown Rd. Pittsburgh, PA 15239

1-888-314-0847 nvacco@detailking.com

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation		Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



Hazard statements H315	Causes skin irritation.
H319	Causes serious eye irritation.
Precautionary statem	ents
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1) Revision: 2022-08-12

- Precautionary statements

P362 Take off contaminated clothing and wash it before reuse.

2.3 Other hazards

Hazards not otherwise classified

Contact with acids liberates toxic gas.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
2-(2-butoxyethoxy)ethanol	CAS No 112-34-5	1-<3	Eye Irrit. 2 / H319
sodium metabisulfite	CAS No 7681-57-4	1-<3	Acute Tox. 4 / H302 Eye Dam. 1 / H318
sodium hydroxide	CAS No 1310-73-2	0.1 - < 1	Acute Tox. 4 / H302 Skin Corr. 1A / H314 Eye Dam. 1 / H318 Met. Corr. 1 / H290
sodium [dodecanoyl(methyl)amino]acetate	CAS No 137-16-6	0.1-<1	Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Dam. 1 / H318

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	diethylene glycol monobutyl ether	112-34-5	TLV®	10						iv	AC- GIH® 2019
US	sodium hydroxide	1310-73- 2	REL						2		NIOS H REL
US	sodium hydroxide	1310-73- 2	TLV®						2		AC- GIH® 2019
US	sodium hydroxide	1310-73- 2	PEL		2						29 CFR 1910.1 000
US	sodium hydroxide (caustic soda)	1310-73- 2	PEL (CA)						2		Cal/ OSHA PEL
US	sodium metabi- sulfite	7681-57- 4	PEL (CA)		5						Cal/ OSHA PEL
US	sodium metabi- sulfite	7681-57- 4	REL		5 (10 h)						NIOS H REL
US	sodium metabi- sulfite	7681-57- 4	TLV®		5						AC- GIH® 2019

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

Revision: 2022-08-12

Notation Ceiling-C iv STEL TWA	ceiling value is a limit value above which exposure should not occur inhalable fraction and vapor short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
2-(2- butoxyethoxy)ethanol	112-34-5	DNEL	68 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
2-(2- butoxyethoxy)ethanol	112-34-5	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
2-(2- butoxyethoxy)ethanol	112-34-5	DNEL	68 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
2-(2- butoxyethoxy)ethanol	112-34-5	DNEL	101 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
sodium metabisulfite	7681-57-4	DNEL	225 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium hydroxide	1310-73-2	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	DNEL	5 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	DNEL	71 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium [dodecanoyl(methyl)a mino]acetate	137-16-6	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	200 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	4 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	56 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	3.9 ^{mg} / _l	aquatic organisms	water	intermittent release
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	0.4 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	200 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-(2- butoxyethoxy)ethanol	112-34-5	PNEC	1.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

> Relevant PNECs of components of the mixture Name of sub-CAS No End-Threshold Organism Environmental Exposure time stance point level compartment 0.11 ^{mg}/_l 2-(2-112-34-5 PNEC aquatic organisms marine water short-term (single butoxyethoxy)ethanol instance) 4.4 ^{mg}/_{kg} 2-(2-112-34-5 PNEC aquatic organisms freshwater sediment short-term (single butoxyethoxy)ethanol instance) 0.44 mg/kg 2-(2-112-34-5 PNEC aquatic organisms marine sediment short-term (single butoxyethoxy)ethanol instance) 0.32 mg/kg PNEC 2-(2-112-34-5 terrestrial organsoil short-term (single butoxyethoxy)ethanol isms instance) 1 ^{mg}/_l sodium metabisulfite 7681-57-4 PNEC aquatic organisms freshwater short-term (single instance) 0.1 ^{mg}/_l sodium metabisulfite 7681-57-4 PNEC aquatic organisms marine water short-term (single instance) 75 ^{mg}/_l PNEC sodium metabisulfite 7681-57-4 microorganisms sewage treatment short-term (single plant (STP) instance) 10 ^{mg}/_l sodium 137-16-6 PNEC microorganisms sewage treatment short-term (single [dodecanoyl(methyl)a plant (STP) instance) mino]acetate 0.034 ^{mg}/kg sodium 137-16-6 PNEC sediment short-term (single benthic organisms [dodecanoyl(methyl)a instance) mino]acetate 0.0034 mg/ sodium 137-16-6 PNEC pelagic organisms sediment short-term (single [dodecanoyl(methyl)a instance) kg mino]acetate 137-16-6 PNEC 0.3 ^{mg}/_l intermittent release sodium aquatic organisms water [dodecanoyl(methyl)a mino]acetate 0.009 ^{mg}/_I sodium PNEC 137-16-6 aquatic organisms freshwater short-term (single [dodecanoyl(methyl)a instance) mino]acetate PNEC 0.001 ^{mg}/_l short-term (single sodium 137-16-6 aquatic organisms marine water [dodecanoyl(methyl)a mino]acetate instance) 3 ^{mg}/_l sodium 137-16-6 PNEC aquatic organisms sewage treatment short-term (single [dodecanoyl(methyl)a plant (STP) instance) mino]acetate 0.064 ^{mg}/_{kg} sodium 137-16-6 PNEC aquatic organisms freshwater sediment short-term (single [dodecanoyl(methyl)a instance) mino]acetate 0.006 mg/kg sodium PNEC marine sediment short-term (single 137-16-6 aquatic organisms [dodecanoyl(methyl)a instance) mino]acetate 0.008 ^{mg}/kg PNEC sodium 137-16-6 terrestrial organsoil short-term (single [dodecanoyl(methyl)a isms instance) mino]acetate

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1) Revision: 2022-08-12

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	colorless
Particle	not relevant (liquid)
Odor	fruity

Other safety parameters

pH (value)	9.6 (25 °C)
Melting point/freezing point	<-70 °C at 1 atm
Initial boiling point and boiling range	100 °C
Flash point	114 °C at 101 kPa closed cup
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	32 hPa at 25 °C
Density	1 – 1 ^g / _{cm³} at 20 °C
Vapor density	this information is not available
Solubility(ies)	
- Water solubility	miscible in any proportion

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1) Revision: 2022-08-12

Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	210 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	$T3$ (maximum permissible surface temperature on the equipment: 200 $^\circ\text{C})$

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

Release of toxic materials with:

Acids

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1) Revision: 2022-08-12

Acute toxicity estimate (ATE) of components of the mixture						
Name of substance CAS No Exposure route ATE						
sodium metabisulfite	7681-57-4	oral	1,420 ^{mg} / _{kg}			
sodium hydroxide	1310-73-2	oral	325 ^{mg} / _{kg}			
sodium [dodecanoyl(methyl)amino]acetate	137-16-6	inhalation: dust/mist	>0.05 ^{mg} / _l /4h			

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans						
Name of substance CAS No Classification Number						
sodium metabisulfite 3						

Legend 3

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1) Revision: 2022-08-12

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

14.1		
	DOT	UN 1760
	IMDG-Code	UN 1760
	ICAO-TI	UN 1760
14.2	UN proper shipping name	
	DOT	Corrosive liquid, n.o.s.
	IMDG-Code	CORROSIVE LIQUID, N.O.S.
	ICAO-TI	Corrosive liquid, n.o.s.
	Technical name (hazardous ingredients)	sodium hydroxide, sodium [dodecanoyl(methyl)amino]acetate
14.3	Transport hazard class(es)	
	DOT	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	DOT	111
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6	Special precautions for user There is no additional information.	

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Revision: 2022-08-12

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information		
Particulars in the shipper's declaration	UN1760, Corrosive liquid, n.o.s., (sodium hydroxide sodium [dodecanoyl(methyl)amino]acetate, solution 8, III	
Reportable quantity (RQ)	161,926 lbs (73,514 kg) (sodium hydroxide) (amyl acetate)	
Danger label(s)	8	
Special provisions (SP)	IB3, T7, TP1, TP28	
ERG No	154	
International Maritime Dangerous Goods C	Code (IMDG) - Additional information	
Marine pollutant	-	
Danger label(s)	8	
Special provisions (SP)	223, 274	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	5 L	
EmS	F-A, S-B	
Stowage category	Α	
International Civil Aviation Organization (IC	CAO-IATA/DGR) - Additional information	
Danger label(s)	8	
Special provisions (SP)	A3	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	1 L	
FION 15: Regulatory information		
Safety, health and environmental regulatio	ns specific for the product in question	
National regulations (United States)		
Toxic Substance Control Act (TSCA)	all ingredients are listed	

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
sodium hydroxide	1310-73-2		1	1000 (454)

Legend

"1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
2-(2-butoxyethoxy)ethanol		co-solvent	CA TACs
sodium metabisulfite	7681-57-4	cleaning agent	
sodium hydroxide	1310-73-2	pH adjusting agent	OEHHA RELs
EDTA, anhydrous	64-02-8	chelate / se- questrant	
sodium [dodecanoyl(methyl)amino]acetate	137-16-6	surfactant	
dipropylene glycol	25265-71-8	fragrance	
Diammonium dihydrogen ethylenediaminetet- raacetate	20824-56-0	chelate / se- questrant	
disodium cocoamphodipropionate	68604-71-7	surfactant	
dipropylene glycol	110-98-5	alcohols	

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
2-(2-butoxyethoxy)ethanol		1022			1.0 %
sodium hydroxide	1310-73-2				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
sodium metabisulfite	7681-57-4	А	

Legend

Ā

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Revision: 2022-08-12

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
2-(2-butoxyethoxy)ethanol			
sodium hydroxide	1310-73-2		CO R1
sodium metabisulfite	7681-57-4		СО

Legend

CO Corrosive

R1 Reactive - First Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
GLYCOL ETHERS		E
SODIUM HYDROXIDE (NA(OH))	1310-73-2	E
DISULFUROUS ACID, DISODIUM SALT	7681-57-4	

Legend E

Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
sodium hydroxide	1310-73-2	T, F
sodium metabisulfite	7681-57-4	Т

Legend

F т

Flammability (NFPA®) Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and **Toxic Enforcement Act of 1987**

none of the ingredients are listed

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA)	0.012 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB)	0.012 %

Industry or sector specific available guidance(s) **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	1	material that is normally stable but can become unstable (self-react) at high temperatures and pressures. Material may react non-violently with water or undergo hazardous polymer- ization in the absence of inhibitors
Personal protection	-	

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Revision: 2022-08-12

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard	₩	material that can react with water with some release of energy, but not violently

National inventories

Country	Inventory	Status
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed
AU	AIIC	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC CICR CSCL-ENCS Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China DSL ECSI IECSC INSQ National Inventory of Chemical Substances ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS) Korea Existing Chemicals Inventory Non-domestic Substances List (NDSL) KECI NDSL New Zealand Inventory of Chemicals NZIoC PICCS REACH Reg. TCSI TSCA Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH registered substances Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Revision: 2022-08-12

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.2	Relevant identified uses: Fabric cleaner and deodorizer	Relevant identified uses: Fabric cleaner and deodorizer Professional use Industrial use	yes
1.2		HS code: 3402.39.90	yes
3.2		Description of the mixture: change in the listing (table)	yes
7.2		 Packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. 	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
13.1	Waste treatment of containers/packages: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packages: Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	yes
14.1	UN number: not subject to transport regulations	UN number	yes
14.1		DOT: UN 1760	yes
14.1		IMDG-Code: UN 1760	yes
14.1		ICAO-TI: UN 1760	yes
14.2	UN proper shipping name: not relevant	UN proper shipping name	yes
14.2		DOT: Corrosive liquid, n.o.s.	yes
14.2		IMDG-Code: CORROSIVE LIQUID, N.O.S.	yes
14.2		ICAO-TI: Corrosive liquid, n.o.s.	yes
14.2		Technical name (hazardous ingredients): sodium hydroxide, sodium [dodecanoyl(methyl)amino]acetate	yes
14.3	Transport hazard class(es): not assigned	Transport hazard class(es)	yes

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Revision: 2022-08-12

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
14.3		DOT: 8	yes
14.3		IMDG-Code: 8	yes
14.3		ICAO-TI: 8	yes
14.4	Packing group: not assigned	Packing group	yes
14.4		DOT: III	yes
14.4		IMDG-Code: III	yes
14.4		ICAO-TI: III	yes
14.7	Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information: Not subject to transport regulations.	Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information	yes
14.7		Particulars in the shipper's declaration: UN1760, Corrosive liquid, n.o.s., (sodium hydroxide, sodium [dodecanoyl(methyl)amino]acetate, solution), 8, III	yes
14.7		Reportable quantity (RQ): 161,926 lbs (73,514 kg) (sodium hydroxide) (amyl acetate)	yes
14.7		Danger label(s): 8	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): IB3, T7, TP1, TP28	yes
14.7		ERG No: 154	yes
14.7	International Maritime Dangerous Goods Code (IM- DG) - Additional information: Not subject to IMDG.	International Maritime Dangerous Goods Code (IM- DG) - Additional information	yes
14.7		Marine pollutant: -	yes
14.7		Danger label(s): 8	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): 223, 274	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 5 L	yes
14.7		EmS: F-A, S-B	yes

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Revision: 2022-08-12

Version number: GHS 2.0
Replaces version of: 2021-09-30 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
14.7		Stowage category: A	yes
14.7	International Civil Aviation Organization (ICAO- IATA/DGR) - Additional information: Not subject to ICAO-IATA.	International Civil Aviation Organization (ICAO- IATA/DGR) - Additional information	yes
14.7		Danger label(s): 8	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): A3	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 1 L	yes
15.1		Toxic Substance Control Act (TSCA): all ingredients are listed	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (RI-RTK)	yes
15.1		Hazardous Substance List (RI-RTK): change in the listing (table)	yes
15.1	Regulated Volatile Organic Compounds (VOC- EPA): 0.0041 %	Regulated Volatile Organic Compounds (VOC- EPA): 0.012 %	yes
15.1	Regulated Volatile Organic Compounds (VOC-Cal ARB): 0.0041 %	Regulated Volatile Organic Compounds (VOC-Cal ARB): 0.012 %	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Revision: 2022-08-12

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect- ing human health and the environment
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LHS	Lower hazard substance
Met. Corr.	Substance or mixture corrosive to metals
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition

Occupational Safety and Health Administration (United States)

OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1)

acc. to 29 CFR 1910.1200 App D

Detail King Fibre Pro

Version number: GHS 2.0 Replaces version of: 2021-09-30 (GHS 1) Revision: 2022-08-12

Abbr.	Descriptions of used abbreviations
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.