acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0 Date of compilation: 2022-06-03 **SECTION 1: Identification** 1.1 Product identifier Trade name **Detail King Ice Scent Concentrate** 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Professional use Industrial use HS code 3307.49.00. 1.3 Details of the supplier of the safety data sheet Detail King 947-A-Old Frankstown Rd. Pittsburgh, PA 15239 1-888-314-0847 nvacco@detailking.com 1.4 **Emergency telephone number** Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.10	acute toxicity (oral)	4	Acute Tox. 4	H302
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
A.4S	skin sensitization	1	Skin Sens. 1	H317
B.6	flammable liquid	4	Flam. Liq. 4	H227

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger
- Pictograms

GHS05, GHS07



 Hazard statements 	
H227	Combustible liquid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

- Precautionary statem	ents
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Llazardaua ingradiant	a for labelling Aleebele, C0, 11 ethewylated, Heyyl colleviate

- Hazardous ingredients for labelling

Alcohols, C9-11 ethoxylated, Hexyl salicylate, Lavandin oil abrialis, Lemon Terpenes

2.3 Other hazards

This material is combustible, but will not ignite readily.

Hazards not otherwise classified

Contains Acetyl cedrene, Lemon oil, benzyl salicylate, Hexyl salicylate, Lavandin oil abrialis, Lemon Terpenes, Orange oil, sweet. May produce an allergic reaction.

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Endocrine disrupting properties

Contains an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	55-<70	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318
Poly(oxy-1,2-ethanediyl), alpha-(4- (1,1,3,3-tetramethylbutyl)phenyl)- omega-hydroxy-	CAS No 9002-93-1	20-<40	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319
sodium methyl-2 sulfolaurate	CAS No 149458-07-1	3-<12	Skin Irrit. 2 / H315 Eye Irrit. 2A / H319
Dihydromyrcenol	CAS No 18479-58-8	1-<3	Eye Irrit. 2 / H319 Flam. Liq. 4 / H227
Lemon oil	CAS No 8008-56-8	0.1-<1	Skin Irrit. 2 / H315 Eye Irrit. 2A / H319 Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

Name of substance	Identifier	Wt%	Classification acc. to GHS
methanol	CAS No 67-56-1	0.1-<1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370 Flam. Liq. 2 / H225
benzyl salicylate	CAS No 118-58-1	0.1-<1	Eye Irrit. 2 / H319 Skin Sens. 1B / H317
Orange oil, sweet	CAS No 8008-57-9 8028-48-6 68647-72-3	0.1 - < 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226
Hexyl salicylate	CAS No 6259-76-3	0.1-<1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317
Lemon Terpenes	CAS No 68917-33-9	0.1 - < 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226
Lavandin oil abrialis	CAS No 8022-15-9 RTECS No OF6097500	0.1-<1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 4 / H227

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

United States: en

Version number: GHS 1.0

Date of compilation: 2022-06-03

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Control of the effects

Protect against external exposure, such as

frost

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)											
Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m ³]	Nota tion	Sourc e	
US	methanol	67-56-1	TLV®	200		250				Н	AC- GIH® 2019	
US	methyl alcohol	67-56-1	REL	200 (10 h)	260 (10 h)	250	325				NIOS H REL	

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

Occup	Occupational exposure limit values (Workplace Exposure Limits)											
Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg⁄ m³]	Nota tion	Sourc e	
US	methyl alcohol	67-56-1	PEL	200	260						29 CFR 1910.1 000	
US	methyl alcohol (methanol)	67-56-1	PEL (CA)	200	260	250	325	1,000			Cal/ OSHA PEL	

Notation

ceiling value is a limit value above which exposure should not occur absorbed through the skin Ceiling-C

H STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified TWA

Biological limit values										
Country	y Name of agent Parameter		Nota- tion	Identifier	Value	Source				
US	methanol	methanol		BEI®	15 mg/l	ACGIH® 2019				

Relevant DNELs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time				
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	2,080 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects				
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	294 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects				
Lemon oil	8008-56-8	DNEL	23 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects				
Lemon oil	8008-56-8	DNEL	6.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects				
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects				
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects				
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	acute - local effects				
methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects				
benzyl salicylate	118-58-1	DNEL	0.9 mg/kg	human, dermal	worker (industry)	chronic - systemic effects				

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Γ

Date of compilation: 2022-06-03

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
benzyl salicylate	118-58-1	DNEL	3.2 mg/m ³	human, inhalatory	worker (industry)	chronic - systemi effects
Hexyl salicylate	6259-76-3	DNEL	1.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemi effects
Hexyl salicylate	6259-76-3	DNEL	6.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemi effects
Hexyl salicylate	6259-76-3	DNEL	885 μg/cm²	human, dermal	worker (industry)	chronic - local ef fects
Hexyl salicylate	6259-76-3	DNEL	885 μg/cm ²	human, dermal	worker (industry)	acute - local effec
Lemon Terpenes	68917-33-9	DNEL	23 mg/m ³	human, inhalatory	worker (industry)	chronic - system effects
Lemon Terpenes	68917-33-9	DNEL	6.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	DNEL	8.9 mg/kg	human, dermal	worker (industry)	chronic - system effects
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	DNEL	31 mg/m ³	human, inhalatory	worker (industry)	chronic - system effects
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	DNEL	186 μg/cm²	human, dermal	worker (industry)	acute - local effe

Relevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1.4 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.014 ^{mg} / _l	aquatic organisms	water	intermittent release			
Lemon oil	8008-56-8	PNEC	5.4 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)			
Lemon oil	8008-56-8	PNEC	0.54 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)			
Lemon oil	8008-56-8	PNEC	2.1 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Date of compilation: 2022-06-03

Version number: GHS 1.0

elevant PNECs o						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure tin
Lemon oil	8008-56-8	PNEC	1.3 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (sing instance)
Lemon oil	8008-56-8	PNEC	0.13 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (sin instance)
Lemon oil	8008-56-8	PNEC	0.29 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sin instance)
methanol	67-56-1	PNEC	100 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (sin instance)
methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	benthic organisms	sediment	short-term (sin instance)
methanol	67-56-1	PNEC	7.7 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (sin instance)
methanol	67-56-1	PNEC	1,540 ^{mg} / _l	aquatic organisms	water	intermittent rele
methanol	67-56-1	PNEC	21 ^{mg} / _l	aquatic organisms	freshwater	short-term (sin instance)
methanol	67-56-1	PNEC	2.1 ^{mg} / _l	aquatic organisms	marine water	short-term (sin instance)
methanol	67-56-1	PNEC	100 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (sin instance)
methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (sin instance)
methanol	67-56-1	PNEC	7.7 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (sin instance)
methanol	67-56-1	PNEC	100 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sin instance)
benzyl salicylate	118-58-1	PNEC	0.001 ^{mg} / _l	aquatic organisms	freshwater	short-term (sin instance)
benzyl salicylate	118-58-1	PNEC	0.0001 ^{mg} / _l	aquatic organisms	marine water	short-term (sin instance)
benzyl salicylate	118-58-1	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (sin instance)
benzyl salicylate	118-58-1	PNEC	0.58 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (sin instance)
benzyl salicylate	118-58-1	PNEC	0.058 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (sin instance)
benzyl salicylate	118-58-1	PNEC	80 ^{mg} / _{kg}	aquatic organisms	water	short-term (sin instance)
benzyl salicylate	118-58-1	PNEC	0.12 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sin instance)
benzyl salicylate	118-58-1	PNEC	0.01 ^{mg} / _l	aquatic organisms	water	intermittent rele
Hexyl salicylate	6259-76-3	PNEC	0 ^{mg} / _l	aquatic organisms	freshwater	short-term (sin instance)
Hexyl salicylate	6259-76-3	PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (sin instance)
Hexyl salicylate	6259-76-3	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (sin instance)

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

=

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time	
Hexyl salicylate	6259-76-3	PNEC	0.27 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
Hexyl salicylate	6259-76-3	PNEC	0.027 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	
Hexyl salicylate	6259-76-3	PNEC	0.054 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
Lemon Terpenes	68917-33-9	PNEC	5.4 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)	
Lemon Terpenes	68917-33-9	PNEC	0.54 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)	
Lemon Terpenes	68917-33-9	PNEC	2.1 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
Lemon Terpenes	68917-33-9	PNEC	1.3 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
Lemon Terpenes	68917-33-9	PNEC	0.13 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	
Lemon Terpenes	68917-33-9	PNEC	0.29 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	5.4 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)	
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	0.54 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)	
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	2.1 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	1.3 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	0.13 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	44 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)	
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	0.26 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	5.8 ^{µg} / _l	aquatic organisms	water	intermittent release	

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	clear
Particle	not relevant (liquid)
Odor	fresh

Other safety parameters

not determined
not determined
100 °C
77 °C closed cup
Not determined
not relevant, (fluid)
32 hPa at 25 °C
not determined
this information is not available
Information on this property is not available
not determined
this information is not available

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Date of compilation: 2022-06-03

Auto-ignition temperature	311 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Version number: GHS 1.0

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

- Acute toxicity estimate (ATE) Oral 1,419 $^{mg}/_{kg}$

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

_

Acute toxicity estimate (ATE) of components of the mixture								
Name of substance CAS No Exposure route ATE								
Alcohols, C9-11 ethoxylated	68439-46-3	oral	1,200 ^{mg} / _{kg}					
Alcohols, C9-11 ethoxylated	68439-46-3	dermal	2,000 ^{mg} / _{kg}					
Poly(oxy-1,2-ethanediyl), alpha-(4-(1,1,3,3-tetra- methylbutyl)phenyl)-omega-hydroxy-	9002-93-1	oral	1,800 ^{mg} / _{kg}					
methanol	67-56-1	oral	100 ^{mg} / _{kg}					
methanol	67-56-1	inhalation: gas	700 ^{ppmV} / _{4h}					
methanol	67-56-1	inhalation: dust/mist	0.5 ^{mg} / _l /4h					

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Exposure time		
Alcohols, C9-11 eth- oxylated	68439-46-3	LC50	8.5 ^{mg} / _l	fathead minnow	96 h		
Alcohols, C9-11 eth- oxylated	68439-46-3	EC50	5.3 ^{mg} / _l	daphnia magna	48 h		
Alcohols, C9-11 eth- oxylated	68439-46-3	ErC50	1 – 10 ^{mg} / _l	algae	96 h		
sodium methyl-2 sulfo- laurate	149458-07-1	LC50	4.7 ^{mg} / _l	fish	96 h		

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium methyl-2 sulfo- laurate	149458-07-1	EC50	1.8 ^{mg} / _l	algae	72 h
sodium methyl-2 sulfo- laurate	149458-07-1	EC50	6.3 ^{mg} / _l	daphnia	48 h
Lemon oil	8008-56-8	LL50	5.7 ^{mg} / _l	fish	96 h
Lemon oil	8008-56-8	EL50	1.4 ^{mg} / _l	aquatic invertebrates	24 h
methanol	67-56-1	LC50	15,400 ^{mg} / _l	fish	96 h
methanol	67-56-1	EC50	12,700 ^{mg} / _l	fish	96 h
methanol	67-56-1	ErC50	22,000 ^{mg} / _l	algae	96 h
benzyl salicylate	118-58-1	LC50	1 ^{mg} / _l	fish	96 h
benzyl salicylate	118-58-1	EC50	1.2 ^{mg} / _l	aquatic invertebrates	48 h
benzyl salicylate	118-58-1	ErC50	1.3 ^{mg} / _l	algae	72 h
Hexyl salicylate	6259-76-3	EC50	0.54 ^{mg} / _l	aquatic invertebrates	24 h
Hexyl salicylate	6259-76-3	ErC50	0.61 ^{mg} / _l	algae	72 h
Lemon Terpenes	68917-33-9	LL50	5.7 ^{mg} / _l	fish	96 h
Lemon Terpenes	68917-33-9	EL50	1.4 ^{mg} / _l	aquatic invertebrates	24 h
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	LL50	5.7 ^{mg} / _l	fish	96 h
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	EL50	1.4 ^{mg} / _l	aquatic invertebrates	24 h

Aquatic toxicity (chronic) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Exposure time		
sodium methyl-2 sulfo- laurate	149458-07-1	EC50	0.25 – 0.8 ^{mg} / _l	daphnia magna	21 d		
Lemon oil	8008-56-8	EL50	1.4 ^{mg} / _l	aquatic invertebrates	24 h		
benzyl salicylate	118-58-1	EC50	1.2 ^{mg} / _l	aquatic invertebrates	24 h		
benzyl salicylate	118-58-1	LC50	4.3 ^{mg} / _l	aquatic invertebrates	24 h		

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Sewage disposal-relevant information Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets. Waste treatment of containers/packages contaminated packages in the same way as the substance itself. Remarks Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. SECTION 14: Transport information Transport in bulk according to IMO instruments 14.7

The cargo is not intended to be carried in bulk.

Date of compilation: 2022-06-03

Results of PBT and vPvB assessment 12.5

Data are not available.

12.6 Endocrine disrupting properties

Contains an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$. None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

Waste treatment methods 13.1

Waste treatment-relevant information

Solvent reclamation/regeneration.

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle

SEC	TION 14: Transport information	
14.1	UN number	
	DOT	UN 3082
	IMDG-Code	UN 3082
	ICAO-TI	UN 3082
14.2	UN proper shipping name	
	DOT	Environmentally hazardous substance, liquid, n.o.s.
	IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
14.3	Transport hazard class(es)	
	DOT	9
	IMDG-Code	9
	ICAO-TI	9
14.4	Packing group	
	DOT	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user There is no additional information.	

Version number: GHS 1.0

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Date of compilation: 2022-06-03

Information for each of the UN Model Regulations	5
Transport of dangerous goods by road or rail (49	CFR US DOT) - Additional information
Not regulated under DOT until packaged in single containers la	arger than 119 gallons each - liquid, or 882 lbs each - solid.
Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, li- quid, n.o.s., 9, III
Reportable quantity (RQ)	713,170 lbs (323,779 kg) (methanol)
Danger label(s)	9, fish and tree
Environmental hazards	Yes (hazardous to the aquatic environment)
Special provisions (SP)	8, 146, 173, 335, IB3, T4, TP1, TP29
ERG No	171
International Maritime Dangerous Goods Code (II	MDG) - Additional information
Marine pollutant	YES (hazardous to the aquatic environment) (Alcohols, C9-11 eth- oxylated)
Danger label(s)	9, fish and tree
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A
International Civil Aviation Organization (ICAO-IA	TA/DGR) - Additional information
Environmental hazards	YES (hazardous to the aquatic environment)
Danger label(s)	9, fish and tree
Special provisions (SP)	A97, A158, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Version number: GHS 1.0

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0 Date of compilation: 2022-06-03 - Specific Toxic Chemical Listings (EPCRA Section 313) Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date		
methanol	67-56-1		1986-12-31		

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
methanol	67-56-1		3 4	5000 (2270)

Legend 3

"3" indicates that the source is section 112 of the Clean Air Act "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA) Δ

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Alcohols, C9-11 ethoxylated	68439-46-3	surfactant	
Poly(oxy-1,2-ethanediyl), alpha-(4-(1,1,3,3-tet- ramethylbutyl)phenyl)-omega-hydroxy-		surfactant	EC EDs
water	7732-18-5	carrier fluid / dis- solver	
sodium methyl-2 sulfolaurate	149458-07-1	surfactant	
Dihydromyrcenol	18479-58-8	fragrance	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2- naphthyl)ethan-1-one	1506-02-1	fragrance	
Acetyl cedrene	32388-55-9	fragrance	
Lemon oil	8008-56-8	fragrance	
methanol	67-56-1	alcohols	CA TACs NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65
sodium sulfate	7757-82-6	cleaning agent	
benzyl salicylate	118-58-1	fragrance	
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	fragrance	
Hexyl salicylate	6259-76-3	fragrance	
Lemon Terpenes	68917-33-9	fragrance	
Lavandin oil abrialis	8022-15-9	fragrance	
di-Citronellol	106-22-9	fragrance	
Geraniol	106-24-1	fragrance	EU Fragrance Allergens

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

Name of substance	CAS No	Functionality	Authoritative Lists
Clary sage oil	8016-63-5	fragrance	
7-hydroxycitronellal	107-75-5	fragrance	EU Fragrance Allergens
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	fragrance	
Lemongrass Oil	8007-02-1	fragrance	
Geranyl acetate	105-87-3	fragrance	
Allyl cyclohexanepropionate	2705-87-5	fragrance	
citral	5392-40-5	fragrance	
a-pinene	80-56-8	fragrance	
Diphenyl ether	101-84-8	fragrance	

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
methanol	67-56-1				1.0 %

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
methanol	67-56-1		TE F3

Legend

Flammable - Third Degree

F3 TE Teratogenic

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
METHANOL	67-56-1	E

Legend

E Environmental hazard

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and **Toxic Enforcement Act of 1987**

Proposition 65 List of chemicals					
Name of substance	Name acc. to inventory	CAS No	Wt%	Remarks	Type of the tox- icity
methanol	methanol	67-56-1	0.7		develop- mental

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 32 % 32 %

- Regulated Volatile Organic Compounds (VOC-Cal ARB)

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperat- ures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperat- ures before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed
Legend		·

DSL Domestic Substances List (DSL)

REACH Reg. REACH registered substances TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)	
49 CFR US DOT	S DOT 49 CFR U.S. Department of Transportation	
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement	

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

umber: GHS 1.0	Date of complication: 2022-06-0
Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
EmS	Emergency Schedule
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect ing human health and the environment
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal ity during a specified time interval
LHS	Lower hazard substance
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0

Date of compilation: 2022-06-03

Abbr.	Descriptions of used abbreviations
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

acc. to 29 CFR 1910.1200 App D

Detail King Ice Scent Concentrate

Version number: GHS 1.0 Date of compilation: 2022-06-03

Code	Text
H370	Causes damage to organs.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.