Version 1.2

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## **SECTION 1 - PRODUCT IDENTIFICATION**

Product name: Extractor Maintainer

Supplier details

Company: Detail King

947 Old Frankstown Rd. Pittsburgh, PA 15239

Customer Service: 724-325-0008

jasonf@detailking.com

Emergency telephone number

INFOTRAC Domestic (24hr): 1-800-535-5053 INFOTRAC International (24 hr): 1-352-323-3500

#### Recommended use of the chemical and restrictions for use

Recommended use: Cleaning agent

Restrictions for use: Advice in this document relates only to the product manufactured. The

information of the ingredients used in this product has been provided by various suppliers. Additional hazards may occur if not used in accordance with

product labeling.

#### **SECTION 2 – HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin irritation: Category 2
Eye irritation: Category 1

**GHS label element** 

Danger

Hazard pictograms: Signal word:

Hazard statements Harmful if swallowed

Skin corrosion/irritation
Serious eye damage/irritation

Precautionary statements: Prevention

Avoid breathing mist, fumes, vapors, or spray Only use in well-ventilated areas or outdoors

Wash face, hands, and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/ eye protection/ face protection

Precautionary statements: Response

Specific treatment (see supplemental first aid instructions on this label)

Precautionary statements: Storage

Keep product lid closed tightly while storing

Stored in a secure location out of the reach of unauthorized users

Precautionary statements: Disposal

Use all material in container and dispose container in accordance with local, state, and

 $federal\ regulations.$ 

Version 1.2

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Chemical Name	CAS-No	Weight %	Trade Secret
Water	7732-18-5	>85	*
Lactic acid	50-21-5	5 – 10	*
2 - Butoxyethanol	111-76-2	1-5	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

#### **SECTION 4 – FIRST AID MEASURES**

First aid measures

General advice: In general no treatment is necessary, however, obtain medical advice. Present this

safety data sheet if obtaining medical advice.

Eye contact: Immediately flush eyes with large amounts of water for at least 15 minutes while

holding eyelids open. Remove contact lenses. Prolonged exposure may irreversible eye damage. If

irritation persists seek medical attention.

Skin contact: Remove contaminated clothing. Flush exposed area with water and follow by

washing with soap, if available. If persistent irritation occurs, obtain medical attention.

Inhalation: Remove to fresh air. If rapid recovery does not occur, transport to nearest medical

facility.

**Ingestion:** DO NOT induce vomiting. Clean mouth with water and afterwards drink plenty of

water. Never give anything by mouth to an unconscious person. Get medical attention.

**Protection of first-aiders:** When administering first aid, ensure that you are wearing the appropriate personal

protective equipment according to the incident, injury and surroundings.

Immediate medical attention,

special treatment:

Call a doctor or poison control for guidance. Treat symptomatically.

## **SECTION 5 – FIRE-FIGHTING MEASURES**

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Unsuitable extinguishing media:** None. CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from

Compound:

No information available.

**Explosion data:** Product is not explosive.

Protective equipment and precautions for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment, and emergency procedures:

Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Use personal protective equipment. Avoid breathing vapors or mists. Refer to sections 7 and 8.

Environmental precautions: Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or

spillage if safe to do so.

## **DK EXTRACTOR MAINTAINER**

Version 1.2

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Methods and materials for**Prevent further leakage or spillage if safe to do so. Dam up. Soak up with inert containment and cleaning up:
absorbent material. Pick up and transfer to properly labeled containers.

## **SECTION 7 – HANDLING AND STORAGE**

Precautions for safe handling: Handle with good industrial hygiene and safety practice. Avoid contact with skin, eye

and clothing. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Avoid breathing vapors or mists. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory

equipment.

Conditions for safe storage, Keep containers tightly closed and in a dry, cool and well-ventilated place. Keep out of

including any incompatibilities: the reach of children. Avoid storing with acids and chlorinated compounds.

#### SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### **Control parameters**

**Exposure guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	
		(vacated) S*	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other exposure guidelines: Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir.,1992)

Appropriate engineering controls: General ventilation systems. Eye wash stations recommended depending on application.

Individual protection measures, such as personal protective equipment

Eye/Face Protection: If splashes are likely to occur, wear safety glasses with side-shields. None required for

consumer use.

**Skin and Body Protection:** Wear protective gloves and clothing. Long sleeved shirts and impervious gloves and

recommended.

Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures:** Handle with good industrial hygiene and safety practice. Avoid contact with skin, eye

and clothing. Do not eat, drink or smoke when using this product. Wear suitable gloves

and eye/face protection.

#### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Color: Clear
pH: 1.5 to 2.0
Melting point/freezing point: No data a

No data available No data available Boiling point/boiling range: Flash point: No data available **Evaporation rate:** No data available Flammability (solid,gas): No data available Upper flammability limit: No data available Lower flammability limit: No data available Vapor pressure: No data available Vapor density: No data available Water solubility: Completely miscible

## **DK EXTRACTOR MAINTAINER**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.2

Solubility in solvents:

No data available

Partition coefficient: n-octanol

No data available

water:

Auto-ignition temperature:

Decomposition temperature:

Viscosity, dynamic:

No data available

Explosive properties: None Oxidizing properties: None

Softening point: No data available

VOC content: <3%

#### SECTION 10 – STABILITY AND REACTIVITY

Reactivity: No data available

**Chemical stability:** Stable under recommended storage conditions.

**Possibility of hazardous reactions:** None under normal processing.

Hazardous polymerization: Does not occur.

Conditions to avoid: Excessive heat.

Incompatible material: Acids. Chlorinated compounds.

Hazardous decomposition products: Carbon oxides

#### SECTION 11 – TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product information** 

Inhalation: There is no data available for this product. May cause irritation of respiratory tract

**Eye contact:** There is no data available for this product. Expected to be an irritant based on

components. Irritating to eyes. May cause redness, itching and pain. May cause

temporary eye irritation.

**Skin contact:** There is no data available for this product. Expected to be an irritant based on

components. Irritating to skin. Prolonged contact may cause redness and irritation.

**Ingestion:** There is no data available for this product. Ingestion may cause irritation to mucous

membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Butoxyethanol	= 470 mg/kg (Rat)	= 220 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
111-76-2			

Information of toxicological

Symptoms - Redness of the skin. May cause redness and tearing of the eyes. Coughing

**information:** and/or wheezing.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization: No information available
Mutagenic effects: No information available

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a

carcinogen.

## DK EXTRACTOR MAINTAINER

Version 1.2 According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Chemical Name	ACGIH	IARC	NTP	OSHA
Chemical Name	ACGIN	IANC	INTE	UJHA
2-Butoxyethanol	A3	Group 3		
111-76-2				

Reproductive toxicity:

STOT-Single exposure:

No information available

STOT-Repeated exposure:

No information available

Othronic Toxicity:

Target Organ Effects:

No information available

No information available

No information available

#### **SECTION 12 – ECOLOGICAL INFORMATION**

**Ecotoxicity:** Harmful to aquatic life with long lasting effects.

Persistence and Degradability: No information available

Bioaccumulation: No information available

Other adverse effects: No information available

## **SECTION 13 – DISPOSAL CONSIDERATIONS**

Waste Disposal Methods: This material, as supplied, is not hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if this material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate

state, regional or local regulations for additional requirements.

Contaminated Packaging: Dispose in accordance with local regulations.

California Hazardous Waste Codes: 561

#### **SECTION 14 – TRANSPORT INFORMATION**

**DOT:** Not regulated

Proper shipping name: Non regulated

Hazard class: N/A

TDG: Not regulated
MEX: Not regulated
ICAQ: Not regulated
IATA: Not regulated
Proper shipping name: Non regulated

Hazard class: N/A

IMDG/IMO: Not regulated

Hazard class: N/A

RID: Not regulated ADR: Not regulated ADR: Not regulated AND: Not regulated

## SECTION 15 – REGULATORY INFORMATION

TSCA: Complies

**DSL:** All components are listed either on the DSL or NDSL.

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

#### **U.S. Federal Regulations**

## **DK EXTRACTOR MAINTAINER**

Version 1.2 Sara 313:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986

(SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part

372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol – 111-76-2	111-76-2	1 - 5	1.0

SARA 311/312 Hazard CategoriesFire HazardNoAcute Health HazardYesSudden Release of Pressure HazardNoChronic Health HazardNoReactive HazardNo

Clean Water Act: This product does not contain any substances regulated as pollutants pursuant to the

Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA: This material, as supplied, does not contain any substances regulated as hazardous

substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local,

regional or state level pertaining to the releases of this material.

**U.S. State Regulations** 

**California Proposition 65:** This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol	X	X	X
111-76-2			

#### **International Regulations**

Mexico - Grade

Minimum risk, Grade 0

Chemical Name	Carcinogen Status	Exposure Limits
2-Butoxyethanol		Mexico: TWA 26 ppm
		Mexico: TWA 120 mg/m <sup>3</sup>
		Mexico: STEL 75 ppm
		Mexico: STEL 360 mg/m <sup>3</sup>

Canada WHMIS Hazard Class D2B Toxic materials



#### **SECTION 16 – OTHER INFORMATION**

NFPA: Health Hazard 2 Flammability 0 Instability 0 Physical and Chemical Hazards –

HMIS: Health Hazard 2 Flammability 0 Physical Hazard 0 Personal Protection X

**Issuing Date:** 10/05/21

**General Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**