acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0 Date of compilation: 2024-05-21 **SECTION 1: Identification** 1.1 Product identifier Trade name **Detail King Adhesive Remover** 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Cleaner/degreaser Professional use Industrial use Consumer use (private households) HS code 3402.42.90 1.3 Details of the supplier of the safety data sheet Detail King 947A Old Frankstown Rd.

1-724-325-0008 jfung@detailking.com

Pittsburgh, PA 15239

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
A.4S	skin sensitization	1	Skin Sens. 1	H317
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger
- Pictograms

GHS02, GHS05, GHS07



- Hazard statements

H226	Flammable liquid and vapor.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0

Date of compilation: 2024-05-21

Precautionary stateme	nts
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

d-limonene, Alcohols, C9-11 ethoxylated

- Hazardous ingredients for labelling

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\ge 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
d-limonene	CAS No 5989-27-5	≥85	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	12-<20	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

Remarks

For full text of abbreviations: see SECTION 16.

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

Date of compilation: 2024-05-21

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0

Date of compilation: 2024-05-21

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0

Date of compilation: 2024-05-21

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time		
d-limonene	5989-27-5	DNEL	67 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		
d-limonene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	2,080 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects		
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	294 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
d-limonene	5989-27-5	PNEC	1.8 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
d-limonene	5989-27-5	PNEC	1.3 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)
d-limonene	5989-27-5	PNEC	0.13 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)
d-limonene	5989-27-5	PNEC	3.3 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)
d-limonene	5989-27-5	PNEC	14 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
d-limonene	5989-27-5	PNEC	1.4 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
d-limonene	5989-27-5	PNEC	1.8 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
d-limonene	5989-27-5	PNEC	3.9 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
d-limonene	5989-27-5	PNEC	0.39 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
d-limonene	5989-27-5	PNEC	0.76 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1.4 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0

Date of compilation: 2024-05-21

Relevant PNECs of components								
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time		
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)		
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.014 ^{mg} / _l	aquatic organisms	water	intermittent release		

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	transparent - colorless
Particle	not relevant (liquid)
Odor	characteristic

Other safety parameters

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0

Date of compilation: 2024-05-21

number: GHS 1.0	Date of compliation: 2024-05-21
pH (value)	not determined
Melting point/freezing point	199 K
Initial boiling point and boiling range	176 °C
Flash point	52 °C at 1 atm 126 °F at 1 atm closed cup
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	200 Pa at 298 K
Density	0.86 ^g / _{ml}
Vapor density	this information is not available
Solubility(ies)	
- Water solubility	miscible in any proportion
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	245 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	$T2C$ (maximum permissible surface temperature on the equipment: 230 $^\circ\text{C})$

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive sub-stance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0

Date of compilation: 2024-05-21

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Alcohols, C9-11 ethoxylated	68439-46-3	oral	1,200 ^{mg} / _{kg}
Alcohols, C9-11 ethoxylated	68439-46-3	dermal	2,000 ^{mg} / _{kg}

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans							
Name of substance CAS No Classification Remarks Number							
d-limonene 5989-27-5 3							

Legend

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0

Date of compilation: 2024-05-21

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Г

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components								
Name of substance	CAS No	Endpoint	Value	Species	Exposure time			
d-limonene	5989-27-5	LC50	720 ^{µg} / _l	fish	96 h			
d-limonene	5989-27-5	EC50	688 ^{µg} / _I	fish	96 h			
d-limonene	5989-27-5	ErC50	0.32 ^{mg} / _l	algae	72 h			
Alcohols, C9-11 eth- oxylated	68439-46-3	LC50	8.5 ^{mg} / _l	fathead minnow	96 h			
Alcohols, C9-11 eth- oxylated	68439-46-3	EC50	5.3 ^{mg} / _l	daphnia magna	48 h			
Alcohols, C9-11 eth- oxylated	68439-46-3	ErC50	1 – 10 ^{mg} / _l	algae	96 h			

Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
d-limonene	5989-27-5	EC50	<0.67 ^{mg} / _l	fish	8 d
d-limonene	5989-27-5	LC50	0.41 ^{mg} / _l	fish	8 d

12.2 Persistence and degradability

Biodegradation

The relevant substances of the mixture are readily biodegradable.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of \geq 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle

Remarks Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. **SECTION 14: Transport information** 14.1 **UN number** DOT UN 1993 IMDG-Code UN 1993 ICAO-TI UN 1993 14.2 UN proper shipping name DOT Flammable liquid, n.o.s. IMDG-Code FLAMMABLE LIQUID, N.O.S. ICAO-TI Flammable liquid, n.o.s. Technical name (hazardous ingredients) d-limonene 14.3 Transport hazard class(es) DOT 3 IMDG-Code 3 ICAO-TI 3 14.4 Packing group DOT Ш IMDG-Code Ш ICAO-TI Ш **Environmental hazards** 14.5 hazardous to the aquatic environment Environmentally hazardous substance (aquatic d-limonene environment) Special precautions for user 14.6 There is no additional information. Transport in bulk according to IMO instruments 14.7 The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Date of compilation: 2024-05-21

SECTION 13: Disposal considerations

Waste treatment methods

Waste treatment-relevant information Solvent reclamation/regeneration.

Sewage disposal-relevant information

Waste treatment of containers/packages

contaminated packages in the same way as the substance itself.

Version number: GHS 1.0

13.1

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Vorein		
/ersior	n number: GHS 1.0	Date of compilation: 2024-05-
	Transport of dangerous goods by road or rail	
	Particulars in the shipper's declaration	UN1993, Flammable liquid, n.o.s., (contains: d-li- monene), 3, III, environmentally hazardous
	Danger label(s)	3, fish and tree
	Environmental hazards	Yes (hazardous to the aquatic environment)
	Special provisions (SP)	B1, B52, IB3, T4, TP1, TP29
	ERG No	128
	International Maritime Dangerous Goods Cod	e (IMDG) - Additional information
	Marine pollutant	Yes (hazardous to the aquatic environment) (d-limonene)
	Danger label(s)	3, fish and tree
	Special provisions (SP)	223, 274, 955
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	EmS	F-E, <u>S-E</u>
	Stowage category	Α
	International Civil Aviation Organization (ICAC	D-IATA/DGR) - Additional information
	Environmental hazards	Yes (hazardous to the aquatic environment)
	Danger label(s)	3
	Special provisions (SP)	A3
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	10 L
SEC	TION 15: Regulatory information	
5.1	Safety, health and environmental regulations	specific for the product in question
	National regulations (United States)	
	Toxic Substance Control Act (TSCA)	all ingredients are listed (ACTIVE) or exempt from lis ing
	Superfund Amendment and Reauthorization A	Act (SARA TITLE III)
	- The List of Extremely Hazardous Substances and 304)	Their Threshold Planning Quantities (EPCRA Section 30.
	none of the ingredients are listed	
	 Specific Toxic Chemical Listings (EPCRA Section none of the ingredients are listed 	n 313)
	Comprehensive Environmental Response, Co	mpensation, and Liability Act (CERCLA)
	- List of Hazardous Substances and Reportable Qu none of the ingredients are listed	uantities (CERCLA section 102a) (40 CFR 302.4)

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0

Date of compilation: 2024-05-21

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
d-limonene	5989-27-5		EU Fragrance Allergens
Alcohols, C9-11 ethoxylated	68439-46-3	surfactant	

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed

- Hazardous Substances List (MN-ERTK) none of the ingredients are listed

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
d-limonene	138-86-3		F2

Legend

F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

none of the ingredients are listed

- Hazardous Substance List (RI-RTK) none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA)	88 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB)	88 %

Industry or sector specific available guidance(s) NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperat- ures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0 Category Degree of hazard Description Elammability 2 material that must be medarately bested as exposed to rel

 hazard
 hazard

 Flammability
 2
 material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur

 Health
 3
 material that, under emergency conditions, can cause serious or permanent injury

 Instability
 0
 material that is normally stable, even under fire conditions

 Special hazard

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
AU	AIIC	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Date of compilation: 2024-05-21

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Date of compilation: 2024-05-21

Version number: GHS 1.0

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
49 CFR US DOT	49 CFR U.S. Department of Transportation	
Acute Tox.	Acute toxicity	
ATE	Acute Toxicity Estimate	
Cal ARB	California Air Resources Board	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
DOT	Department of Transportation (USA)	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect- ing human health and the environment	
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
ERG No	Emergency Response Guidebook - Number	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
Flam. Liq.	Flammable liquid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval	
NLP	No-Longer Polymer	
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition	
OSHA	Occupational Safety and Health Administration (United States)	

acc. to 29 CFR 1910.1200 App D

Detail King Adhesive Remover

Version number: GHS 1.0

Date of compilation: 2024-05-21

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.