acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

SECTION 1: Identification

1.1 Product identifier

Trade name Detail King Carbon Shine

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use

Industrial use

Consumer use (private households)

HS code 3405.30.00.

1.3 Details of the supplier of the safety data sheet

Detail King

947 - A Old Frankstown Road

Pittsburgh, PA 15239

1-888-314-0847

nvacco@detailking.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500

24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.6	carcinogenicity	2	Carc. 2	H351

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07, GHS08



- Hazard statements

H319 Causes serious eye irritation. H351 Suspected of causing cancer.

- Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313 If exposed or concerned: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P405 Store locked up.

United States: en Page: 1 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

- Precautionary statements

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

parachlorobenzotrifluoride

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Undecyl glucoside	CAS No 132778-08-6	1-<5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318
parachlorobenzotrifluoride	CAS No 98-56-6	0.1 - < 1	Skin Sens. 1B / H317 Carc. 2 / H351 Flam. Liq. 3 / H226
Cyclosilazanes, di-Me, Me Hydrogen, polymers with di-Me, Me hydrogen silazanes, and 2,4-TDI	CAS No confidential	0.1 - < 1	Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Flam. Liq. 2 / H225

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

Remarks

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

United States: en Page: 2 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

United States: en Page: 3 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Cou ntry	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/m ³]	Nota tion	Sourc e
US	methanol	67-56-1	TLV®	200		250				Н	AC- GIH® 2019
US	methyl alcohol	67-56-1	PEL	200	260						29 CFR 1910.1 000
US	methyl alcohol	67-56-1	REL	200 (10 h)	260 (10 h)	250	325			Н	NIOS H REL
US	methyl alcohol (methanol)	67-56-1	PEL (CA)	200	260	250	325	1,000		Н	Cal/O SHA PEL
US	graphite	7782-42- 5	REL		2.5 (10 h)					natur- al, r	NIOS H REL
US	graphite	7782-42- 5	PEL (CA)		2.5					natur- al, r, dust	Cal/O SHA PEL
US	graphite	7782-42- 5	PEL	530						partm I, r, dust, natur- al	29 CFR 1910.1 000
US	graphite	7782-42- 5	TLV®		2					r, ex- Grap hFib	AC- GIH® 2019
US	graphite	7782-42- 5	REL							syn- thetic, appx- D	NIOS H REL
US	graphite	7782-42- 5	PEL (CA)		10					syn- thetic, dust	Cal/O SHA PEL
US	graphite	7782-42- 5	PEL		15					syn- thetic, dust	29 CFR 1910.1 000
US	graphite	7782-42-	PEL		5					syn-	Cal/O

United States: en Page: 4 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Cou ntry	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/m	STEL [ppm]	STEL [mg/m ³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/m	Nota tion	Sourc e
		5	(CA)							thetic, r	SHA PEL
US	graphite	7782-42- 5	PEL		5					syn- thetic, r	29 CFR 1910.1 000
US	diethyl phthalate	84-66-2	PEL (CA)		5						Cal/O SHA PEL
US	diethyl phthalate	84-66-2	REL		5 (10 h)						NIOS H REL
US	diethyl phthalate	84-66-2	TLV®		5						AC- GIH® 2019

Notation

appx-D see Appendix D - Substances with No Established RELs

Ceiling-C ceiling value is a limit value above which exposure should not occur

dust as dust

exGraphFib except graphite fibers absorbed through the skin

natural natural partml particles/ml respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless

otherwise specified)

synthetic

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified TWA

Biological limit values								
Country	Name of agent	Parameter	Nota- tion	Identifier	Value	Source		
US	methanol	methanol		BEI®	15 mg/l	ACGIH® 2019		

Relevant DNELs of components							
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time	
Undecyl glucoside	132778-08-6	DNEL	71 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects	
Undecyl glucoside	132778-08-6	DNEL	100,000 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
parachlorobenzotri- fluoride	98-56-6	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects	
parachlorobenzotri- fluoride	98-56-6	DNEL	0.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
parachlorobenzotri-	98-56-6	DNEL	18 μg/cm ²	human, dermal	worker (industry)	acute - local effects	

United States: en Page: 5 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

Relevant DNELs of components								
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time		
fluoride								

elevant PNECs o	Components	•				
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure tim
Undecyl glucoside	132778-08-6	PNEC	0.18 ^{mg} / _l	aquatic organisms	freshwater	short-term (sing instance)
Undecyl glucoside	132778-08-6	PNEC	0.018 ^{mg} / _I	aquatic organisms	marine water	short-term (sing instance)
Undecyl glucoside	132778-08-6	PNEC	10 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (sing instance)
Undecyl glucoside	132778-08-6	PNEC	0.9 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (sing instance)
Undecyl glucoside	132778-08-6	PNEC	0.09 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (sing instance)
Undecyl glucoside	132778-08-6	PNEC	0.65 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
parachlorobenzotri- fluoride	98-56-6	PNEC	2 ^{µg} / _l	aquatic organisms	freshwater	short-term (sing instance)
parachlorobenzotri- fluoride	98-56-6	PNEC	0.2 ^{µg} / _l	aquatic organisms	marine water	short-term (sing instance)
parachlorobenzotri- fluoride	98-56-6	PNEC	0.032 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (sing instance)
parachlorobenzotri- fluoride	98-56-6	PNEC	0.022 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (sing instance)
oarachlorobenzotri- fluoride	98-56-6	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (sing instance)
parachlorobenzotri- fluoride	98-56-6	PNEC	0.026 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

United States: en Page: 6 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	grey
Particle	not relevant (liquid)
Odor	fruity

Other safety parameters

pH (value)	5.5 – 6.5 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	>65 °C at 1 atm
Flash point	will not flash closed cup
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	32 hPa at 25 °C
Density	1 – 1 ^g / _{cm³} at 25 °C
Vapor density	this information is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined

Viscosity

- Kinematic viscosity	245 ^{mm²} / _s at 25 °C
- Dynamic viscosity	250 mPa s at 25 °C
Explosive properties	none
Oxidizing properties	none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

United States: en Page: 7 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Cyclosilazanes, di-Me, Me Hydrogen, polymers with di-Me, Me hydrogen silazanes, and 2,4-TDI	confidential	oral	500 ^{mg} / _{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Contains parachlorobenzotrifluoride. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United States: en Page: 8 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Undecyl glucoside	132778-08-6	LL50	>38 ^{mg} / _I	fish	96 h
Undecyl glucoside	132778-08-6	EL50	38 ^{mg} / _I	algae	72 h
parachlorobenzotrifluor- ide	98-56-6	LC50	3 ^{mg} / _l	fish	48 h
parachlorobenzotrifluor- ide	98-56-6	ErC50	>0.41 ^{mg} / _I	algae	72 h
parachlorobenzotrifluor- ide	98-56-6	EC50	>0.41 ^{mg} / _I	algae	72 h
Cyclosilazanes, di-Me, Me Hydrogen, polymers with di-Me, Me hydro- gen silazanes, and 2,4- TDI	confidential	LC50	57 ^{mg} / _I	zebra fish (Danio rerio)	96 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not relevant

United States: en Page: 9 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous

goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

 Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
polydimethylsiloxane	63148-62-9	surface modifier	
Poly(ethylene glycol-ran-propylene glycol) monobutyl ether	9038-95-3	surfactant	
polyacrylamide	9003-05-8	viscosity modifier	
polytrimethylhydrosilylsiloxane	68988-56-7	surface modifier	
parachlorobenzotrifluoride	98-56-6	solvents	
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
Alcohols, C11-15- secondary, ethoxylated	84133-50-6	surfactant	
Ethyl methylphenylglycidate	77-83-8	fragrance	
2-tert-Butylcyclohexyl acetate	88-41-5	fragrance	
Polyethylene glycol	25322-68-3	surfactant	
gamma Undecalactone	104-67-6	fragrance	

United States: en Page: 10 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

Name of substance	CAS No	Functionality	Authoritative Lists
Vanillin	121-33-5	fragrance	
tetra(trimethylsiloxy)silane	3555-47-3	surface modifier	Canada PBiTs
ethyl vanillin	121-32-4	fragrance	
ethyl isovalerate	108-64-5	fragrance	
Benzyl acetate	140-11-4	fragrance	

Toxic or Hazardous Substance List (MA-TURA) none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemic	cals				
Name of substance	Name acc. to inventory	CAS No	Wt%	Remarks	Type of the tox-icity
C.I. Pigment Black 7	carbon black	1333-86-4	0.0002	airborne, un- bound particles of respirable size	cancer

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 0.033 %

- Regulated Volatile Organic Compounds (VOC-Cal ARB) 0.033 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

United States: en Page: 11 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

National inventories

Country	Inventory	Status
CA	DSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
AU	AIIC	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)

United States: en Page: 12 / 14

Safety Data Sheet acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

Abbr.	Descriptions of used abbreviations
Cal ARB	California Air Resources Board
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
L	I .

United States: en Page: 13 / 14

acc. to 29 CFR 1910.1200 App D

Detail King Carbon Shine

Version number: GHS 1.0 Date of compilation: 2024-08-02

Abbr.	Descriptions of used abbreviations
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 14 / 14